



600x1200mm  
GLAZED VITRIFIED TILES

MINI




EVERY SINGLE  
PLACE INSPIRES  
US TO CREATE  
NEW LIVING

THIS UNIT HAS GREAT R & D EQUIPMENT AND  
ABLE STAFF TO DELIVER NEWER BETTER  
DESIGNS OF TILES TO SUIT THE NEED OF THE  
CURRENT MARKET AND FUTURE  
EXPECTATIONS OF THE CONSUMER. THE  
QUALITY CONTROL IS WELL EQUIPPED WITH A  
FULL-FLEDGED LABORATORY.





No matter where  
you put them, the  
designs will stay  
with you for ever.



600x1200mm  
GLAZED VITRIFIED TILES



W O



ANTIQA is made thick, reinforced with fibreglass to ensure excellent technical performance, with antibacterial properties achieved through & innovative Protect technology, for healthy living environments.

D



ANTIQU  
WOOD



ARIANA  
WOOD  
BROWN



600x  
1200mm  
GLAZED  
VITRIFIED  
TILES

600x  
1200mm  
GLAZED  
VITRIFIED  
TILES



Anti-slip



Eco Sustainable



Durable Over Time



Floor tiles

ASSAM  
PINE



ART  
WOOD



BALTIMORE  
BROWN WOOD







BALSAM  
OAK WOOD



CAMARU  
CEDAR WOOD



600x  
1200mm  
GLAZED  
VITRIFIED  
TILES





-  Anti-slip
-  Eco Sustainable
-  Durable Over Time
-  Floor tiles

CENTURY  
WOOD LIGHT





600x  
1200mm  
**GLAZED  
VITRIFIED  
TILES**

-  Anti-slip
-  Eco Sustainable
-  Durable Over Time
-  Floor tiles



**CINNAMON  
BEIGE**



**CINNAMON  
CREAMA**



**600x  
1200mm  
GLAZED  
VITRIFIED  
TILES**



Anti-slip



Eco Sustainable



Durable Over Time



Floor tiles

**EDEN  
WOOD**



**COMBERS  
BROWN**









FRENCH  
WOOD



HACKBERRY  
NATURAL



600x  
1200mm  
GLAZED  
VITRIFIED  
TILES

-  Anti-slip
-  Eco Sustainable
-  Durable Over Time
-  Floor tiles

JADE  
TEAK







EMY  
WOOD





600x  
1200mm  
**GLAZED  
VITRIFIED  
TILES**

-  Anti-slip
-  Eco Sustainable
-  Durable Over Time
-  Floor tiles



**KAZIRANGA  
TEAK**



**LARCH COPPER  
WOOD**



**600x  
1200mm  
GLAZED  
VITRIFIED  
TILES**

**600x  
1200mm  
GLAZED  
VITRIFIED  
TILES**



Anti-slip



Eco Sustainable



Durable Over Time



Floor tiles

**LUMIA  
TEAK WOOD**



**LATINA  
HONEY**







MEXICAN  
WOOD  
CREMA



OAK  
WOOD



600x  
1200mm  
GLAZED  
VITRIFIED  
TILES

-  Anti-slip
-  Eco Sustainable
-  Durable Over Time
-  Floor tiles

MERCURY  
WOOD







PEARL  
WOOD





**600x  
1200mm  
GLAZED  
VITRIFIED  
TILES**

-  Anti-slip
-  Eco Sustainable
-  Durable Over Time
-  Floor tiles



PINE  
WOOD  
<<



ROYAL  
HONEY  
>>

600x  
1200mm  
GLAZED  
VITRIFIED  
TILES

600x  
1200mm  
GLAZED  
VITRIFIED  
TILES

- Anti-slip
- Eco Sustainable
- Durable Over Time
- Floor tiles

SEQUIDA  
WOOD  
>>



SEDAN  
PINE  
<<



SILVER  
PINE



SIBERIAN  
PINE







TAN TIMBER  
WOOD



TASMANIA  
TEAK







600x  
1200mm  
GLAZED  
VITRIFIED  
TILES

-  Anti-slip
-  Eco Sustainable
-  Durable Over Time
-  Floor tiles



**600x  
1200mm  
GLAZED  
VITRIFIED  
TILES**

-  Anti-slip
-  Eco Sustainable
-  Durable Over Time
-  Floor tiles





TECTONA  
GRANDIS WOOD



TITANIC  
WOOD



600x  
1200mm  
GLAZED  
VITRIFIED  
TILES



Anti-slip



Eco Sustainable



Durable Over Time



Floor tiles



WHITE  
PINE







600x  
1200mm  
GLAZED  
VITRIFIED  
TILES





600x  
1200mm  
**GLAZED  
VITRIFIED  
TILES**

-  Anti-slip
-  Eco Sustainable
-  Durable Over Time
-  Floor tiles



# MARBLE

ANTIQA is made thick, reinforced with fibreglass to ensure excellent technical performance, with antibacterial properties achieved through & innovative Protect technology, for healthy living environments.





**AZUL  
BLUE**  
≪≪







**600x  
1200mm  
GLAZED  
VITRIFIED  
TILES**



**BOTTICINO  
BEIGE**



**600x  
1200mm  
GLAZED  
VITRIFIED  
TILES**

-  Anti-slip
-  Eco Sustainable
-  Durable Over Time
-  Floor tiles

**GREEN  
ONYX**  
≫≫




**BOTTICINO  
CLASSIC**  
≪≪



LINEAR  
WHITE F1  
>>






LINEAR  
WHITE F3  
<<



LINEAR  
WHITE F2  
<<

600x  
1200mm  
GLAZED  
VITRIFIED  
TILES





-  Anti-slip
-  Eco Sustainable
-  Durable Over Time
-  Floor tiles

LINEAR  
WHITE F4  
>>





**600x  
1200mm  
GLAZED  
VITRIFIED  
TILES**

-  Anti-slip
-  Eco Sustainable
-  Durable Over Time
-  Floor tiles



PAVIA  
<<



RUBY  
WHITE  
>>

600x  
1200mm  
GLAZED  
VITRIFIED  
TILES



600x  
1200mm  
GLAZED  
VITRIFIED  
TILES

- Anti-slip
- Eco Sustainable
- Durable Over Time
- Floor tiles

TERRAZO  
BEIGE







SILVIA  
<<





600x  
1200mm  
**GLAZED  
VITRIFIED  
TILES**

-  Anti-slip
-  Eco Sustainable
-  Durable Over Time
-  Floor tiles







# SATUARIA RIO

ANTIQA is made thick, reinforced with fibreglass to ensure excellent technical performance, with antibacterial properties achieved through & innovative Protect technology, for healthy living environments.







**ANTIQUE  
SATUARIO**



**600x  
1200mm  
GLAZED  
VITRIFIED  
TILES**



**600x  
1200mm  
GLAZED  
VITRIFIED  
TILES**

-  Anti-slip
-  Eco Sustainable
-  Durable Over Time
-  Floor tiles



**CALCUTTA  
WHITE**







CARARA  
IVORY  
V  
VV



CLASSIC  
MARBLE  
V  
VV







600x  
1200mm  
GLAZED  
VITRIFIED  
TILES

-  Anti-slip
-  Eco Sustainable
-  Durable Over Time
-  Floor tiles



600x  
1200mm  
**GLAZED  
VITRIFIED  
TILES**

-  Anti-slip
-  Eco Sustainable
-  Durable Over Time
-  Floor tiles







**CRYSTAL  
SATUARIO**



**600x  
1200mm  
GLAZED  
VITRIFIED  
TILES**



**600x  
1200mm  
GLAZED  
VITRIFIED  
TILES**


-  Anti-slip
-  Eco Sustainable
-  Durable Over Time
-  Floor tiles



**GRIGIO  
PERLA  
MARBLE**







IRIS  
BIANCA  
V  
VV



ITALIAN  
WHITE  
<<  
<<







600x  
1200mm  
GLAZED  
VITRIFIED  
TILES

-  Anti-slip
-  Eco Sustainable
-  Durable Over Time
-  Floor tiles





600x  
1200mm  
**GLAZED  
VITRIFIED  
TILES**

-  Anti-slip
-  Eco Sustainable
-  Durable Over Time
-  Floor tiles



ROYAL  
SATUARIO







600x  
1200mm  
GLAZED  
VITRIFIED  
TILES







600x  
1200mm  
**GLAZED  
VITRIFIED  
TILES**

-  Anti-slip
-  Eco Sustainable
-  Durable Over Time
-  Floor tiles




# BOO K MAT CH

ANTIQA is made thick, reinforced with fibreglass to ensure excellent technical performance, with antibacterial properties achieved through & innovative Protect technology, for healthy living environments.






BM  
101  
≪≪



600x  
1200mm  
GLAZED  
VITRIFIED  
TILES


600x  
1200mm  
GLAZED  
VITRIFIED  
TILES

-  Anti-slip
-  Eco Sustainable
-  Durable Over Time
-  Floor tiles



BM  
102  
≫≫










BM  
103  
<<



600x  
1200mm  
GLAZED  
VITRIFIED  
TILES

600x  
1200mm  
GLAZED  
VITRIFIED  
TILES

-  Anti-slip
-  Eco Sustainable
-  Durable Over Time
-  Floor tiles



BM  
104  
>>




**600x  
1200mm  
GLAZED  
VITRIFIED  
TILES**

-  Anti-slip
-  Eco Sustainable
-  Durable Over Time
-  Floor tiles








BM  
105  
<<



600x  
1200mm  
GLAZED  
VITRIFIED  
TILES

600x  
1200mm  
GLAZED  
VITRIFIED  
TILES

-  Anti-slip
-  Eco Sustainable
-  Durable Over Time
-  Floor tiles



BM  
106  
>>






BM  
107  
≪≻



600x  
1200mm  
GLAZED  
VITRIFIED  
TILES

600x  
1200mm  
GLAZED  
VITRIFIED  
TILES

-  Anti-slip
-  Eco Sustainable
-  Durable Over Time
-  Floor tiles



BM  
108  
≪≻





600x  
1200mm  
**GLAZED  
VITRIFIED  
TILES**

-  Anti-slip
-  Eco Sustainable
-  Durable Over Time
-  Floor tiles









BM  
109  
<<



600x  
1200mm  
GLAZED  
VITRIFIED  
TILES

600x  
1200mm  
GLAZED  
VITRIFIED  
TILES

-  Anti-slip
-  Eco Sustainable
-  Durable Over Time
-  Floor tiles



BM  
110  
>>









BM  
111  
≧≦



600x  
1200mm  
GLAZED  
VITRIFIED  
TILES

600x  
1200mm  
GLAZED  
VITRIFIED  
TILES

-  Anti-slip
-  Eco Sustainable
-  Durable Over Time
-  Floor tiles







BM  
112  
≧≦





**600x  
1200mm  
GLAZED  
VITRIFIED  
TILES**

-  Anti-slip
-  Eco Sustainable
-  Durable Over Time
-  Floor tiles







BM  
113  
<<



600x  
1200mm  
GLAZED  
VITRIFIED  
TILES

600x  
1200mm  
GLAZED  
VITRIFIED  
TILES

-  Anti-slip
-  Eco Sustainable
-  Durable Over Time
-  Floor tiles



BM  
114  
>>










BM  
115  
≧≦



600x  
1200mm  
GLAZED  
VITRIFIED  
TILES

600x  
1200mm  
GLAZED  
VITRIFIED  
TILES

-  Anti-slip
-  Eco Sustainable
-  Durable Over Time
-  Floor tiles








BM  
116  
≧≦






600x  
1200mm  
**GLAZED  
VITRIFIED  
TILES**

-  Anti-slip
-  Eco Sustainable
-  Durable Over Time
-  Floor tiles








BM  
117  
≪≪



600x  
1200mm  
GLAZED  
VITRIFIED  
TILES

600x  
1200mm  
GLAZED  
VITRIFIED  
TILES

-  Anti-slip
-  Eco Sustainable
-  Durable Over Time
-  Floor tiles



BM  
118  
≫≫







BM  
119  
<<



600x  
1200mm  
GLAZED  
VITRIFIED  
TILES

600x  
1200mm  
GLAZED  
VITRIFIED  
TILES

-  Anti-slip
-  Eco Sustainable
-  Durable Over Time
-  Floor tiles







BM  
120  
>>







**600x  
1200mm  
GLAZED  
VITRIFIED  
TILES**

-  Anti-slip
-  Eco Sustainable
-  Durable Over Time
-  Floor tiles







BM  
121  
<<



600x  
1200mm  
GLAZED  
VITRIFIED  
TILES


600x  
1200mm  
GLAZED  
VITRIFIED  
TILES

-  Anti-slip
-  Eco Sustainable
-  Durable Over Time
-  Floor tiles




BM  
122  
>>





BM  
1 2 3  
≪ ≫







600x  
1200mm  
GLAZED  
VITRIFIED  
TILES





600x  
1200mm  
GLAZED  
VITRIFIED  
TILES

-  Anti-slip
-  Eco Sustainable
-  Durable Over Time
-  Floor tiles

## TECHNICAL SPECIFICATION



TEST DESCRIPTION	STANDARD AS PER ISO 13006/EN 176 GROUP BLA	OUR VALUE	METHOD OF TESTING
DEVIATION IN LENGTH	±0.50%	±0.30%	EN 98
DEVIATION IN THICKNESS	±5.0%	±3.0%	EN 98
STRAIGHTNESS OF SIDES	±0.50%	±0.30%	EN 98
RECTANGULARITY	±0.60%	±0.30%	EN 98
SURFACE FLATNESS	±0.50%	±0.30%	EN 98
WATER ABSORPTION	<3%	<3%	ISO 10945.3 EN 98
MOHS HARDNESS	>5	>5	EN 101
FLEXURAL STRENGTH	>35 N/SQ. MM	>39 N/Sq. mm	--
ABRASION RESISTANCE	AS SPECIFIED BY MANU	PE I 3	ISO 10545.6 EN 102
FROST RESISTANCE	FROST PROOF	Frost Proof	ISO 10545 - 11
CHEMICALS RESISTANCE	NO DAMAGE	No Damage	ISO 10545 - 18
THERMAL SHOCK RESISTANCE	NO DAMAGE	No Damage	ISO 10545 - 9
COLOUR RESISTANCE	NO DAMAGE	No Damage	--
STAIN RESISTANCE	RASISTANCE	Rasistance	ISO 10545 - 14
MOISTURE EXPANSION	NIL	Nil	ISO 10545 - 10
CRAZING RESISTANCE	MIN. 2 CYCLE	Min. 4 Cycle	--

## PACKING DETAILS



DIMENSION	THICKNESS (APPROX.)	NO. OF TILES PER BOX	COVERAGE AREA (APPROX.)	WEIGHT (APPROX.)
300 X 600 MM	09 MM	8 PCS.	15.50 SQ. FT. / 1.44 SQ. MTR.	29 KGS.

**DISCLAIMER :** We tiles reserve the right to deleted and amend either totally or partially, any of the colors, shape, sizes, references and other technical specification contained in this catalogue at anytime. The colors shown of tiles in this catalogue are purely illustrative and limited to printing process. Please refer actual sample before final selection. The details of sizes, colors, references should be verified for typographical errors.