



VISIBILITY



Anjani Trades

Contents




Page 2 - 3
refleCtive
sheeting




Page 4 – 6
signages




Page 7
speed
Breaker



Page 8 – 9
road studs




Page 10
safety Cone &
aCCessories




Page 11
Median Marker &
guard rail refleCtor




Page 12
delineator &
Bollards



Page 13
spring post &
Water Barrier






Page 14 – 15
solar safety
produCts



Page 16
traffiC
light



Page 17
stanChion post &
Convex Mirror



Reflective Sheeting

There are a number of different types of reflective sheetings in use on highway signs. Some types, as classified by ASTM D4956-01 and sold by us are 3M Type I, III, IV, IX, XI.

name		Commercial grade 3100 series
Specification	surface film: pet durability: 7 years Die Cutting, Non-Printable, Temporary Road Traffic Signs, Work Zone Signage etc.	
dimension	1.24 x 45.7m/roll	



name		Commercial grade 3200 series
Specification	surface film: acrylic durability: 7 years Screen Printing, Die Cutting Temporary Road Traffic Signs Work Zone Signage etc.	
dimension	1.24 x 45.7m/roll	



name		Engineering Grade Prismatic
Specification	product type: Micro prismatic durability: 7 years permanent pressure sensitive Permanent and Temporary Traffic Signs Work Zone Signs	
dimension	1.22 x 45.72m/roll	



Reflective Sheeting

Name	High Intensity Prismatic Grade
Specification	product type: Micro prismatic durability: 7 years permanent pressure sensitive Permanent and Temporary Traffic Signs astM d 4956 type iv
Dimension	1.22 x 45.72m/roll



name	diamond grade dg^3
Specification	product type: Micro prismatic durability: 10 years permanent pressure sensitive Permanent and Temporary Traffic Signs ASTM D 4956 Type IX, XI
dimension	1.22 x 45.72m/roll



Name	electro Cut film
Specification	product type: transparent acrylic film durability: 10 years
Dimension	1.27 x 50m/roll



name	aluminium Backed flexible prismatic
Specification	Diamond Grade Prismatic Sheeting Highly Flexible and Conformable Superior Adhesion and Edge Sealing
dimension	1 x 145 feet

SignageS

Warning Sign



Mandatory Sign



Facility Sign



S. S. Sign



SignageS


Overhead Gantry & Cantilever Sign



Other Signs



Railway Sign



SignageS

LED Edge Light Signs



LED Display Signs



Glow in Dark Signages



SPeED BRakeR

It is very compact and has high resistance capacity to withstand severe impacts. The pre-coloured UV stabilised material (black & yellow) provides it permanent colour. For clear vision in the night two reflectors are fixed on both sides of the bump. Dev Plastics have categorised them in three types based on the usage i.e. **Plastic, Rubber** and **Rumbler**.

plastic speed Breaker



Model id: sM-601
dimension: | 250 x W350 x h50mm
Color: yellow Black Combo



Model id: sM-602
dimension: | 500 x W320 x h45mm
Color: yellow Black Combo



Model id: sM-603
dimension: | 500 x W375 x h50mm
Color: yellow Black Combo



Model id: sM-604
dimension: | 500 x W400 x h75mm
Color: yellow Black Combo



Model id: sM-605
dimension: | 250 x W750 x h75mm
Color: yellow Black Combo

rumbler

Model id: sM-613



dimension: | 250 x W150 x h32mm
Color: yellow Black Combo

Model id: sM-614
dimension: | 250 x W150 x h32mm
Color: yellow Black Combo



Model id: sM-615
dimension: | 500 x W125 x h25mm
Color: yellow Black Combo

Model id: sM-612
dimension: | 275 x W150 x h32mm
Color: yellow Black Combo



rubber speed Breaker



Model id: sM-606
dimension: | 500 x W400 x h50mm
Color: yellow Black Combo



Model id: sM-607
dimension: | 500 x W415 x h50mm
Color: yellow Black Combo



Model id: sM-608
dimension: | 500 x W400 x h75mm
Color: yellow Black Combo



Model id: sM-609
dimension: | 500 x W415 x h75mm
Color: yellow Black Combo



Model id: sM-610
dimension: | 500 x W350 x h50mm
Color: yellow Black Combo

Road Stud

It is a reflective safety device used in road marking in various locations such as highways, walkways, car parks and cycleways. They are particularly valuable in fog and are largely resistant to damage from natural weathering. Dev Plastics have categorised them in two types based on the material used i.e. **Plastic** and **aluminium**.

aluminium road studs



Model id: sM-117
 Specification: Two Side 21 Glass Beads Each Side with Anchoring shank
 dimension: 100 x 100 x 20 mm
 Available Color: Yellow, Red, White



Model id: sM-118
 Specification: Two Side 21 Glass Beads each side with square nails
 dimension: 100 x 100 x 20 mm
 Available Color: Yellow, Red, White



Model id: sM-122
 Specification: Two Side Polycarbonate Prismatic Reflector with square nails
 dimension: 100 x 100 x 20 mm
 Available Color: Yellow, Red, White



Model id: sM-123
 Specification: Two Side Acrylic Prismatic Reflector with Anchoring Shank
 dimension: 100 x 100 x 20 mm
 Available Color: Yellow, Red, White



Model id: sM-124
 Specification: Two Ways Retro Reflector with Square nails
 dimension: 100 x 100 x 20 mm
 Available Color: Yellow, Red, White



Model id: sM-126
 Specification: Two Ways Retro Reflector with Anchoring Shank
 dimension: 100 x 100 x 20 mm
 Available Color: Yellow, Red, White



Model id: sM-127
 Specification: Two Ways 43 Glass Beads each side with Anchoring Shank
 dimension: 100 x 100 x 20 mm
 Available Color: Yellow, Red, White



Model id: sM-128
 Specification: Two Ways 43 Glass Beads each side with square nails
 dimension: 100 x 100 x 20 mm
 Available Color: Yellow, Red, White



Model id: sM-129
 Specification: Two Side Acrylic Prismatic Reflector with Anchoring Shank
 dimension: 125 x 125 x 30 mm
 Available Color: Yellow, Red, White



Model id: sM-131
 Specification: Two Side 21 Glass Beads each side with square nails
 dimension: 100 x 75x 20 mm
 Available Color: Yellow, Red, White

plastic road studs



Model id: sM-100
 Specification: Two Sided Micro Prismatic Reflector Meets astM standard
 dimension: 102x90x16 mm
 Available Color: Yellow, Red, White
 Brand: 3M



Model id: sM-101
 Specification: Two Sided Micro Prismatic Reflector Meets astM standard
 dimension: 102x90 mm
 Available Color: Yellow, Red, White
 Brand: 3M



Model id: sM-102
 Specification: Two Sided Acrylic Prismatic Reflector Meets astM standard
 dimension: 116x118x17 mm
 Available Color: Yellow, Red, White
 Brand: ennis



Model id: sM-104
 Specification: Two Sided Acrylic Prismatic Reflector Meets astM standard
 dimension: 102x90x16 mm
 Available Color: Yellow, Red, White



Model id: sM-105
 Specification: Two Sided Acrylic Prismatic Reflector Meets astM standard
 dimension: 102x90 mm
 Available Color: Yellow, Red, White



Model id: sM-106
 Specification: Two Sided Acrylic Prismatic Reflector Meets astM standard
 dimension: 100 x 100 x 20 mm
 Available Color: Yellow, Red, White



Model id: sM-108
 Specification: Two Sided Imported Prismatic Reflector Meets astM standard
 dimension: 100 x 100 x 20 mm
 Available Color: Yellow, Red, White



Model id: sM-106h
 Specification: Two Sided Acrylic Prismatic Reflector Meets astM standard
 dimension: 100x100x20 mm
 Available Color: Yellow, Red, White



Model id: sM-108h
 Specification: Two Sided Imported Prismatic Reflector Meets astM standard
 dimension: 100 x 100 x 20 mm
 Available Color: Yellow, Red, White



Model id: sM-109
 Specification: Two Sided 43 Glass Bead Reflector
 dimension: 100 x 100 x 20 mm
 Available Color: Yellow, Red, White



Model id: sM-110
 Specification: Two Sided Acrylic Prismatic Reflector
 dimension: 100 x 128 x 30 mm
 Available Color: Yellow, Red, White
 shanks nylon

road stud accessories



Bitumin

resin & hardener

SafetY cone & acceSSoRieS

Also called as traffic cones, highway cones or construction cones, are usually cone-shaped markers that are placed on roads or footpaths to temporarily redirect traffic in a safe manner. They are often used to create separation or merge lanes. The Reflective sleeves are for night time visibility; the bosses at the top ease handling and can be used for attaching caution tape.



Model id: sM-201
Height: 750mm
Weight: 1.2kg



Model id: sM-202
Height: 750mm
Weight: 4.3kg



Model id: sM-203
Height: 750mm
Weight: 3.3kg



Model id: sM-204
Height: 750mm
Weight: 2.0kg



Name: Connecting Rod
Model id: sM-216
Length: Open: 2 meter
Close: 1 meter



Name: Interlinking Chain
Model id: sM-218

MeSSage PlateS

Made of Special Strong Flexible UV Protected Material. These are placed on roads or paths to display any message, They can be also used to create separation or merge lanes. These are also available with heavy weight base fixed at the bottom.



Name: Four Sided Message Cone
Model id: sM-221
Height: 750mm
Weight: 2kg



Name: Floor Message plate
Model id: sM-225
Height: 600mm



Name: Plastic Warning post
Model id: sM-226
Height: 1.5 mtr
Weight: 3kg

Median MaRkeR

Made of tough, impact resistant thermoplastic body, reflectorized on either sided using fluorescent yellow prismatic sheeting is a highly durable reflective product for medians. It is designed to take the rigours of natural weathering, the product make the medians extremely visible thereby preventing accidents and saving invaluable lives on roads.



Model id: sM-137
 Dimension: Height: 105mm Bottom: 150 x 105mm
 Brand: 3M



Model id: sM-140
 Specification: • Made of Tough Thermoplastic body.
 • It can with stand changes & very high impact
 • UV resistant
 • Available in Type IV and Type IX
 Dimension: Height: 105mm Bottom: 150 x 105mm
 Brand: safety Master

guaRd Rail ReflectoR

They are attached to the guard rail fixed on bridge, open road, tunnel, etc., to prevent traffic from getting accidentally coming in contact. They have a reflective surface and attention catching colour combination which help them to be visible even in poor weather conditions. Reflective film of our Reflectors has the capability to intensify and reflect the light beam of automobile to catch driver's attention.



Model id: sM-331
 Specification: Made of Metal Bracket with prismatic Reflective Sheeting. with tape protector



Model id: sM-332
 Specification: Made of Metal Bracket with prismatic Reflective Sheeting. without tape protector




Model id: sM-334
 Specification: Has Acrylic Reflector double side



Model id: sM-335
 Specification: Has Acrylic Reflector Single Side

lineaR delineatoR SYStEM


Model id	sM-333
Specification	delineation system (lds) panels are fabricated from prismatic grade reflective sheeting laminated on to thin gauge aluminium. LDS panels are formed to a unique shape and applied to concrete barriers and metal guard rails providing retro reflection across a wide range entrance and observation angles. Use of LDS: Round about gap in medium flyovers and curves.
dimension	Size of the LDS: 4x34 inch (3inch is the actual length of the panel to formation)
available Color	Yellow, Red, White



delineator

Delineators are tall pylons mounted on the road surface, or along the edge of a road, and are used to channelize traffic. They usually contain one or more reflective strips. They can be round and open in the centre or curved (45-degree sections) of plastic with a reflective strip. They are also used in low reflective markers in a "T" shape. they can also be used to indicate lane closures as in cases where the number of lanes is reduced.

Round Pipe with Acrylic Reflectors & Solar Delineator



Round, Square & Rectangular Pipe Delineators



BollaRd

a **bollard** is a short vertical post can be used, either to control traffic intake size by limiting movements, or to control traffic speed by narrowing the available space.



sM-406



sM-407



sM-222

Model	name	dimension	available Color
sM-406	Bollard	Powder Coated MS Pipe Length: 1800mm, Round Plate: 600mm, Hazard Marker Plate: 600mm X 300mm	
sM-407	Bollard with Reflectors	Powder Coated MS Pipe Length: 1800mm, Plastic Plate Size (9 Reflectors within): 405mm X 405mm, MS Round Plate Dia: 405mm, MS Plate with Round Plate below: 305mm X 75mm	
sM-222	plastic Bollard	Height: 80cm, Top Width: 17cm, Base Width: 36cm	Red, Blue

SPRing PoSt

Made of special pliant material, it can quickly restore to its original state without damaging the vehicle and itself in case of a high-speed collision. Highly reflective heat transfer sheet is pasted on specially designed grooves, make it highly visible from distance at night or in bad weather. It is easy to install with a epoxy and other strong adhesives without damage to roads or bridges.



sM-507



sM-501



sM-504



sM-506

Model	Material	Dimension / Height	Specification
sM-507	Moulded in aBs-pC alloy	I 250 x h 75 x W 750mm	Special design with extra ribs on the back side gives more strength to it
sM-501	eva	750 mm	Flexibility: Average, Reflective Tape: 3 Bands
sM-504	pu with aBs Base	710 mm	Flexibility: Excellent, Reflective Tape: 2 Bands
sM-506	pu	750 mm	Flexibility: Excellent, Reflective Tape: 3 Bands

Water BaRRier

It can be used for traffic control, construction projects, perimeter security for crowd control. They can be used empty or ballasted with water or sand and can be interconnected or spaced apart to clearly delineate the intended path. Made of high-density plastic, these barriers are durable, versatile and functional.

Model id: sM-401
 Dimension: Length: 1500 mm
 Width: 400 mm
 Height: 950 mm
 Water Ballast: 50 ltrs



Model id: sM-402
 Dimension: Length: 1000 mm
 Width: 500 mm
 Height: 800 mm
 Water Ballast: 20 ltrs



Model id: sM-405
 Dimension: Length: 1650 mm
 Width: 600 mm
 Height: 1000 mm
 Water Ballast: 65 ltrs



Model id: sM-404
 Dimension: Length: 2000 mm
 Width: 600 mm
 Height: 900 mm
 Water Ballast: 65 ltrs



Model id: sM-403
 Dimension: Length: 1000 mm
 Width: 200 mm
 Height: 500 mm

SolaR SafetY PProducts

National Manufacture have its own range of SOLAR safety products such as road studs, delineators, warning lights, chevron, signages and blinkers. Key Features are rechargeable, self-illuminating during dim and night time and have super bright LEDs and equipped with prismatic reflective lens.

solar road stud

Model id: sM-716
 Specification: Solar Cell: Single Crystalline Silicon (3V, 75mA)
 Storage Battery: Ni-MH (1200mAH)
 Light Source: Super Luminosity LED
 led Quantity: 6 pieces
 Work time: > 108 hours
 Work Temperature: (-25) to (+75) degree C.
 Material: aluminium alloy & polycarbonate
 Resist Compression: 10 tons,
 Waterproof grade ip>67
 view distance: over 800m
 dimension: lWd: 132mm x 122mm x 32mm



Model id: sM-717
 Storage Battery: Ni-MH (1800mAH)
 Light Source: Super Luminosity LED
 led Quantity: 6 pieces
 Work time: > 108 hours
 Work Temperature: (-25) to (+75) degree C.
 Material: aluminium alloy & polycarbonate
 Resist Compression: 10 tons,
 Waterproof grade ip>67
 view distance: over 1000m
 dimension: lWd: 125mm x 125mm x 25mm

solar delineator



Basic + pole
sM-702



Red



Yellow



White



Blue



Green

Model id: sM-700
 Specification: LED Visibility: > 500m
 Flashing Rate: Around 74 times per minute
 Temperature Range: Minus 20°C to 85°C
 Color: Red, Yellow, White, Green, Blue
 solar panel
 Voltage: 2.5 Volts, Current: 120mA
 Battery
 Voltage: 1.2 Volts, Capacity: 1200mAH
 Material: polycarbonates/aBs
 Dimension: Dia: 90mm, Height: 150mm



Basic + Clamp Mounting
sM-704



Basic + Wall Mounting
sM-703



Basic + rail Clamp
sM-705

solar Chevron




Model id: sM-708
 size: 600mm x 750mm
 Battery : 7.2v 2500mah li-ion



Model id: sM-711
 size: 750mm x 450mm
 Battery : 7.2v 2500mah li-ion

Solar Signage

Model id: sM-712
 dimension size: as per IrC 67
 Battery : 7.2v 2500mah li-ion



solar Blinker



Model id: sM-713

Specification: Solar Cell: 15W [Type: Mono Crystalline, Voltage: 18V/900mA]
 Battery Type: Plumbic Acid [Voltage: 12V]

LED: Size: 5 mm - 172 LED, or as required.
 luminous intensity: 8000 - 9000 mcd.
 iC frequency: 38-40/minute.

Operating Time: Sustain Power Supply continuously for over 4 days when in the wet or rainy days after full-charging.

Temperature Range: -20 °C to + 70 °C.

Warranty years: 1 year.

Service Life: Over 3 years if used in an efficient way.

Application: Dangerous Roads.

Material: pC plastic anti-uv material.

Solar Highway Flasher

Model id: sM-723

Specification: Solar Cell: 15W [Type: Mono Crystalline Voltage: 18V/900mA]

Battery Type: Plumbic Acid [Voltage: 12V]

LED: Size: 5 mm - 288 LED, or as required.

Warranty years: 1 year.

Service Life: Over 3 years if used in an efficient way.

Application: Dangerous Roads.



tTraffic light

Our Traffic Signal and Toll Plaza Equipments like Toll Plaza Signs, LED Fog Light, Flasher and Lane Signs are tested on various parameters under the supervision of our quality controllers. Sturdiness, long service life and less maintenance cost are its best features.



Name: Traffic Signal Model id: sM-811
 Specification: Voltage: AC220V
 no of leds: 192
 Operation: 24 Hr Flashing or static as per req.
 Color: Red, Amber, Green
 Warranty: 12 months
 diameter: 100/200/300 mm



Name: LED Fog Light
 Model id: sM-814
 Specification: Voltage: AC220V
 operation: inner White amber Core which is Flashing and an Outer Ring amber which will be permanently Glowing.
 Warranty: 12 months
 diameter: 300 mm




name: timer Model id: sM-813
 Specification: Voltage: AC220V
 operation: available in different Digit Formats like 2 & 3 can be custom designed to match the requirement of the customer.
 Warranty: 12 months



Name: Toll Plaza Lights
 Model id: sM-816
 Specification: Voltage: AC220V
 Color: red for stop and green for go
 Warranty: 12 months
 diameter: 100/200 mm



Name: Lane Sign Model id: sM-817
 Specification: Voltage: AC220V
 Color: red Cross and green arrow
 Warranty: 12 months
 diameter: 300 mm



Name: Highway Flasher Model id: sM-821
 Specification: 5 mm - 288 LED, or as required.
 Warranty: 1 year.
 service life: over 3 years if used in an efficient way.
 Application: Dangerous Roads.

Stanchion PoSt

A stanchion is a sturdy upright fixture that provides support for some other object. They are often not a permanent fixture, so that they may be expediently enlisted or removed whenever desired. They are used for many different purposes including crowd control & waiting lines. Many different places use stanchions including banks, stores, hotels, museums, restaurants, concert venues, trade shows & other events.



sM-1032



sM-1035



sM-1036

Model	dimension	available Color
sM-1032	Height: 1000mm Belt Length: Upto 3 mtrs	pole: stainless steel Belt: Red, Blue
sM-1035	Height: 900mm/1000mm Rope Length: Upto 2 mtrs	pole: silver & golden

Model	Belt Length	available Color
sM-1036	diameter of hook: 32mm Rope Length: Upto 2 mtrs	Red, Blue Black

convex MiRRoR

It is a curved mirror in which the reflective surface bulges toward the light source. They are usually mounted on a wall or ceiling where hallways intersect each other, or where they make sharp turns. They are used on roads, driveways, and alleys to provide safety for motorists where there is a lack of visibility, especially at curves and turns. Convex mirror lets motorists see around a corner.



Model id	sM-1017
dimension	45cm



Model id	sM-1018
dimension	60cm



Model id	sM-1019
dimension	80cm



Model id	sM-1020
dimension	100cm

PaRking SafetY PProducts

Parking lots are a significant liability risk for personal injury and automobile property damage. Dev Plastics provides a number of parking lot safety solutions that mitigate these risks. These include **car Stopper** and **corner guard**.

Car stopper



Model id: sM-1006
Dimension: Length: 500mm, Height: 125mm
Width: 160mm



Model id: sM-1021
Dimension: Length: 500mm, Height: 125mm
Width: 100mm

Corner guard



Model id: sM-1022
Material: rubber
Dimension: Length: 500mm
or 900mm



Model id: sM-1027
Material: Rubber, L Type
Dimension: Length: 800mm



Model id: sM-1028
Material: plastic
Dimension: Length: 800mm

led light Baton

Our LED Traffic Control Batons are a highly visible traffic safety light for getting the attention of pedestrians or drivers are used by Police Department Officers, Valet Parking Attendants, School Cross Walk Guards, Road Construction Crews etc. Battery operated, light weight, safety devices, made of ABS, and extruded poly carbonate material. Two way switch are provided for blinking & static light.



sM-801 2.6g



sM-805 2.6 RG Rechargeable



sM-807 9 rg



sM-8089 RG Rechargeable



sM-822 9 r

Safety clothing

Safety Clothes includes Jackets, Hand Gloves, Helmets which are designed to suit the needs of people working in sensitive & dangerous areas. It increases the visibility of individual at night & in poor light condition due to its reflective properties. The products meet world class quality standards due to the use of high quality standardised materials.

Jackets & hand gloves



sM-902 Jacket 1" Reflective



sM-906 Jacket 2" Fabric



sM-933 Crossbelt 2" Reflective



sM-903 Jacket 2" Reflective



sM-950 Reflective Gloves

helmet



sM-1097 industrial safety helmet



sM-1093 executive without ratchet



sM-1094 executive with ratchet



sM-1091 air Boss with ratchet

theRMoPlaStic Road MaRking

It is a chlorinated rubber modified alkyl based paint specifically designed for the application over asphalt, tar sealed substrates and concrete surfaces. the product dries fast and hence traffic hold up is minimum. easy to apply it is used for road & line marking concrete and bituminous roads, highways, pavements, car parks, shopping centres, factories and warehouse lines and floors.



available Color



other Safety accessories

It includes Hand-Held & Door Metal Detectors, Caution Tape, various lines of Search Lights, Breath Alcohol Analyser, Wheel lock and under vehicle search Mirror.



name: hand-held Metal detectors
 Model id: sM-1087
 dimension: 41(l) x 10(w) x 6(h) cm approx



name: hand-held Metal detectors Model id: sM-1088
 dimension: 41(l) x 8.5(w) x 4.5(h)cm



name: Caution tape Model id: sM-1007 Dimension: 3" X 500 mtr



name: Wheel lock
 Model id: sM-1090
 dimension: (h)480mm x (260mm + 220mm handle) x (W)235mm x (t)70mm



Name: Search Light LED Lightweight
 Model id: sM-1034



Name: Search Light LED heavyduty
 Model id: sM-1043



Name: Search Light LED Model id: sM-1046



Name: Search Light Model id: sM-1047
 Dimension: 25cm (L), 16.5 cm (front dia) 13.5cm (rear dia)
 Weight: 3.8kg



Name: Search Light Model id: sM-1049
 Dimension: 25cm (L), 16.5 cm (Front Dia), 13.5cm (Rear Dia)Weight: 3.5kg



name: under vehicle search Mirror
 Model id: sM-1050
 Mirror size: 2ft x 1ft




name: under vehicle search Mirror
 Model id: sM-1051
 Mirror Size: 9" X 5" approx



name: under vehicle search Mirror
 Model id: sM-1053
 Mirror Size: 14" X 7"
 Pipe Length: 51"

GLASS FILMS

Dev Plastics is a supplier of affordable glass films of all kinds like Frosted, Decorative, Privacy & Safety.



DECORATIVE



FROSTED



SAFETY



Why National Manufacture?

- Best Value
- Integrity
- Quality



Anjani Trades

*SHOP NO 115,, CHANDI BAZAR,,
UNDERGROUND, HAVELI STREET,
JUNAGADH (GUJARAT - INDIA) 362001*

MO.: +91 93770 55355

www.anjanitrades.com I info@anjanitrades.com